



# HYDRA

Self-cleaning filters with back-wash

Features a counter-current back-wash system that efficiently self cleans by flushing down the accumulated sediment



WATER **FILTRATION** 







### AUTOMATE YOUR HYDRA EXPERIENCE

Automatic drain valve with timer, especially designed for Hydra series: a clean cartridge after each automatic wash.





PROTECTION









DRAIN CONNECTION

Now you can set the automatic cleaning of your Hydra cartridges. How?

Use your K-Matic, a compact and easy-to-install device that allows you to forget the manual cleaning operations of your self-cleaning filter. Easier done than said! Water and dust resistant (lp54), K-Matic is simple to set by everyone. K-Matic works with a 9V battery, and its safety is ensured by a special drain shut-off in case of flat battery. A special manual wash function can be activated in case of excessive dirt, leaving you free to choose the perfect cleaning time.

PART	MODEL	IN/OUT	DIMENSIONS mm				
NUMBER			Α	В	С		
RA 7120052	K-Matic	1/2"	80	80	106		





#### Certification





Housings are tested and certified under the most stringent procedures worldwide, in compliance with DM25 - Italy - and with the sanitary certification EAC/Ghostreghistrazia (Russia).







#### SANIC is a registered trademark of ATLAS FILTRI srl.

Range of housings with antimicrobial product protection provided by a silver based antimicrobial agent included in the plastic matrix with a specific injection molding technology. DP SANIC housings are suitable for every Point-of-Use (POU) and Point-of-Entry (POE) application, as single or multi-stage on-line filters. Thanks to the antimicrobial protection SANIC housings with SANIC filter cartridges are the most reliable sediment filtration systems for all drinking water application by keeping the filter cleaner for longer.



**Microban**<sup>®</sup> technology is not designed to purify drinking water, but to fight the growth of stain and odor causing bacteria on the housing and filter itself which could adversely affect filter life and performance. MICROBAN is a registered trademark of Microban Products Company.



















PART	MODEL	IN/OUT	DIMENSIONS mm		
NUMBER			Α	В	С
SA 111T711	SENIOR PLUS 3P BFO SX SANIC TS	1"	321	145	130
SA 115T711	MASTER PLUS 3P BFO SX SANIC TS	1"	577	145	130
ZS 1700712	DP BIG 10 MONO - IN SANIC TS	1"	360	190	185
ZS 1800712	DP BIG 20 MONO - IN SANIC TS	1"	617	190	185
SA 1380301	DP 10 MONO 1/2" OT SANIC TS	1/2"	325	122	107

## **BENCHMARK**<sup>®</sup>

#### Benchmark Agencies Pvt. Ltd.

**Ahmedabad:** 'Shantam', Nr. Havmor, Navrangpura, Ahmedabad-380 009. Ph.: 84691 89780

**Surat:** 98241 48315 **♦ Rajkot**: 84691 89780 **♦ Rajasthan**: 84691 89780

North India: 84691 89780 ◆ Maharashtra: 85518 80601 Madhya Pradesh: 84691 89780 ◆ South India: 85518 80601

**Email:** sales@benchmarkagencies.com ◆ **Website:** www.benchmarkagencies.com